

RoHS Compliant Halogen Free










TABLE:

NO	PART	Q'TY	Material
1	SHELL	1	HIGH TEMPERATURE RESISTANT PLASTIC BLACK UL94 V-0
2	CONTACT	6	COPPER STEEL,TIN/Au/Ni PLATED
3	MID PLATE	1	STAINLESS STEEL,NO PLATING
4	MD HOUSING	1	HIGH TEMPERATURE RESISTANT PLASTIC BLACK UL94 V-0
5	SHIELDING PLATE	1	STAINLESS STEEL,NI PLATED
6	WATERPROOF RING	1	SILICONE UL94 V-0 BLACK



RECOMMEND P.C.B LAYOUT (COMPONENT SIDE)
TOLERANCE FOR PCB LAYOUT IS ±0.05



NOTES:

SPECIFICATION:

- CURRENT RATING: 3.0 A
- VOLTAGE RATING: 3.0 V
- VBUS & GND PINS AND OTHER PINS: 40mΩ/PIN MAX
SHIELD: 50mΩ/MAX
LLCR MAX. CHANGE OF ALL PINS: 10Ωm
- INSULATION RESISTANCE: 100MΩ MIN
- DIELECTRIC WITHSTAND VOLTAGE, AC 100V FOR 1MINUTE
- INSERTION FORCE: 0.5~2.0kgf
- UNMATING FORCE: 0.8~2.0kgf
- DURABILITY: 10000 CYCLES
- OPERATING TEMPERATURE: -35°C~+85°C
- THE PEAK TEMPERATURE ON THE BOARD SHALL BE MAINTAINED FOR 10 SECONDS AT 210~230°C
- WATERPROOF: IP-X7.

USB TYPE C PIN ASSIGNMENTS

PIN NUMBER	SIGNAL NAME	PIN NUMBER	SIGNAL NAME
A1	GND	B9	VBUS
A5	CC1	B5	CC2
A9	VBUS		
A12	GND		

料号编码:

XXX	-	XX	XX	X	X	XXXX
公司名称						产品识别流水码
产品类别						
A-USB A F-母座						
B-USB B M-公头						
C-USB C						
M-MICRO						
N-MINI						
产品上板形态						
L-立式						
M-卧式						
S-贴片						
D-插件						
C-沉板						
J-夹板						
H-焊线						
以此产品为准						
XF-防水系列产品						
X=上板类型						
PIN 数						
06:6PIN						
16:16PIN						
24:24PIN						
包装方式						
1. TRAY (吸塑盒)						
2. TAPE (编带)						
3. TAPE (袋装)						


ZDX 深圳市兆达鑫科技有限公司
Shenzhen zhaodaxin Technology Co., Ltd

TITLE:		PART NO.: ZDX-CFLSF062AL27		
TYPE C 6P 立贴防水母座H=6.80mm(带钢片) (全塑U型)		TEL: 0755-29888153		
工程图		WEB: http://www.szzdjmj.com/		
THIRD ANGLE PROJECTION 	UNIT:	SCALE:	SIZE:	SHEET:
	mm	1:1	A4	1/2



RoHS Compliant

Halogen Free

customer drawing




密封开孔参考尺寸(只供参考)
组装外壳时需要打环保润滑油



ZDX 深圳市兆达鑫科技有限公司
Shenzhen zhaodaxin Technology Co., Ltd


TITLE: U型密封建议尺寸 工程图		PART NO.: ZDX-CFLSF062AL27		
		TEL:0755-29888153		
		WEB: http://www.szzdjmkj.com/		
THIRD ANGLE PROJECTION 	UNIT:	SCALE:	SIZE:	SHEET:
	mm	1:1	A4	1/2



SEE DETAIL X

PEELING DIRECTION
165°~180°
PEELING ANGLE

PULL OUT DIRECTION



W+0.5

REEL OFF DIRECTION

PULL OUT DIRECTION

PAPER BOARD

REEL AND TAPE

REEL AND TAPE

PAPER BOARD

FOLDER
PAPER BOARD

CARTON

	REEL	CARTON
CONNECTOR (PCS)	550	5500

ZDX 深圳市兆达鑫科技有限公司
Shenzhen zhaodaxin Technology Co., Ltd

TITLE: TYPE C 6P 立插/立贴防水母座)-包装规范 工程图		PART NO.: ZDX-CFLSF062AL27		
		TEL:0755-29888153		
		WEB: http://www.szzdjmkj.com/		
THIRD ANGLE PROJECTION 	UNIT:	SCALE:	SIZE:	SHEET:
	mm	1:1	A4	1/2